



It is essential to read through these instructions before putting the fan into operation.



This operating instruction is valid for the fan-shaped awnings **O-Fan with different masses and opening angles**

Errors and technical changes are reserved. Radius accepts no liability whatsoever in the event of incorrect operation or improper use of the products. Radius will replace or repair defective products within the scope of the warranty conditions at the time of delivery. Radius accepts no further liability. We reserve the right to make design changes. Our GTCs apply.

Radius International AG
Solothurnerstrasse 43
CH-3296 Arch bei Büren

info@radius-delta.com
<http://radius-delta.com/>

Table of contents:

1	Safety requirements	3
1.1	Explanation of symbols and notes.....	3
1.2	General safety instructions.....	3
1.3	Use of the fan-shaped awning.....	3
2	Operating instructions.....	4
2.1	Inserting the sunshade into the holder	4
2.2	Opening and aligning the.....	5
2.3	Closing the	6
2.4	Repositioning the fan	7
3	Wind compatibility	8

1 Safety requirements

1.1 Explanation of symbols and notes



Warning

Warning of dangerous situation;
possible consequences: Death or most serious injuries.



Caution

Attention to dangerous situation;
possible consequences: light or minor injuries.



Attention

Warning of harmful situation;
possible consequences: the product or something in its environment may be damaged.



General notes

Notes / information that are important for the function or operation or that enable easier operation or assembly.

1.2 General safety instructions

The safety instructions together with the technical information for installation and operation, form the basis for the safe use of the fan-shaped awnings. They must be read, followed and kept for later reference before the fan is installed and used.



Failure to observe the safety regulations and instructions in the assembly and operating instructions can result in serious damage to persons and material, for which the manufacturer expressly disclaims all liability or warranty obligations!



In case of increasing wind or approaching squalls, the fan-shaped awning must be closed. Unattended fans must not be left open. Surprisingly strong wind could cause serious damage.



Modifications or changes to the fan awning are prohibited!



1.3 Use of the fan-shaped awning

The fan-shaped awning is to be used exclusively as weather-resistant sun protection. The wind resistance of the stretched fan is limited and the information about it assumes installation according to the instructions.


2 Operating instructions

2.1 Inserting the sunshade into the holder

- a.) Hook the crank handle into the ring for weighting
- b.) Insert the fan and move slightly until "click" engages
- c.) Hook the crank handle into the eyebolt and tighten it slightly until the fan is fixed




- d.) Check that the fan is firmly seated in the holder!




2.2 Opening and aligning the O-Fan

- a.) Release omega brake of the fan sail with crank.
 - Brake gear side right, turn left to release!
 - Brake gear side left, turn right to release!
- b.) Move the fan to the desired position by hand.
- c.) Loosen the fabric expander, which holds the fabric. Textile unrolls by itself.




- d.1) Release the spar expander, the fan starts to open itself thanks to the gas spring.
- d.2) In the version with crank drive, opening is done by cranking.
- e.) Use your hands to slide the fan open and make sure that there are no people or obstacles in the area of the opening.




f.) Hand-tighten the omega brake on the ball joint with the crank to hold the fan in the desired position.

- Brake gear side right, turn left to release!
- Brake gear side left, turn right to release!



2.3 Closing the O-Fan/

- a.) Release the omega brake and set the fan at an angle.
- b.) Squeeze with left hand and hold.
- c.) Squeeze with right hand.
- d.) Fix the spar expander.




- e.) Fix fabric expander
- f.) Roll up fabric
- g.) Move the fan to the parking position
- h.) Hand-tighten the omega brake



2.4 Repositioning the fan

- a.) Loosen the eyebolt by means of the hand crank.
- b.) Hook hand crank into ring
- c.) Remove fan secured
- d.) Put it to a dry or another secured location



3 Wind compatibility



- In case of increasing wind at maximum 30 km/h close the fan.
- Do not allow the fabric to flutter when closed.
- Secure with fabric expander.